

Application No. 10/067,
Amendment "13" dated June 28, 2005
Reply to Office Action mailed May 25, 2005

AMENDMENTS TO THE CLAIMS

The listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) In a system that includes a set-top box that is capable of receiving and displaying a video stream and a user interface on a display device, a method for displaying and controlling the transparency of the user interface and the video stream, the method comprising:

generating screen data by mixing a user interface and a video stream;

displaying the screen data in a display window on the display device, wherein a view of the video in the display window is dependent on a level of transparency of the user interface;

wherein the system includes both:

means for adjusting the level of transparency of the user interface and a level of transparency of the video simultaneously, such that adjusting the level of transparency of the user interface necessarily adjusts the level of the video, and

means for adjusting the level of transparency of the user interface independently of the level of transparency of the video and such that adjusting the level of transparency does not affect the level of transparency of the video;

receiving input from a user, wherein the input controls the level of transparency of the user interface, ~~the input comprising selection of one or more buttons on a remote control device of the set-top box;~~ and

adjusting the level of transparency of the user interface on the display device according to the input received from the user, wherein adjusting the level of transparency of the user interface includes selectively adjusting the level of transparency of the user interface independently or simultaneously with the level of transparency of the video.

Application No. 10/067,
Amendment "B" dated June 28, 2005
Reply to Office Action mailed May 25, 2005

2. (Original) A method as defined in claim 1, wherein generating screen data by mixing a user interface and a video stream further comprises mixing the user interface with the video stream according to a current level of transparency.

3. (Original) A method as defined in claim 1, wherein receiving input from a user further comprises receiving input from an input device controlled by the user.

4. (Original) A method as defined in claim 3, wherein adjusting the level of transparency of the user interface further comprises adjusting a level of transparency of the video stream, wherein the level of transparency of the video stream increases if the level of transparency of the user interface decreases and wherein the level of transparency of the video stream decreases if the level of transparency of the user interface increases.

5. (Original) A method as defined in claim 3, wherein adjusting the level of transparency of the user interface further comprises making the user interface either more transparent or less transparent.

6. (Original) A method as defined in claim 1, wherein the user interface comprises one or more items that each have a level of transparency, the method further comprising adjusting a level of transparency for a selected item without adjusting levels of transparency for non-selected items.

7. (Original) A method as defined in claim 1, wherein adjusting the level of transparency of the user interface further comprises displaying a transparency control on the display device, wherein the transparency control is used to select a level of transparency that is applied to the user interface.

Application No. 10/067,
Amendment "B" dated June 28, 2005
Reply to Office Action mailed May 25, 2005

8. (Original) A method as defined in claim 1, wherein generating screen data further comprises retrieving content from a network, wherein the content is included in the user interface.

9. (Original) A method as defined in claim 1, wherein generating screen data further comprises at least one of:

- receiving the video stream from a cable system;
- receiving the video stream from a satellite system;
- receiving the video stream from a network; and
- retrieving the video stream from a storage of the set top box.

10. (Original) A method as defined in claim 1, wherein the user interface includes interactive elements related to the video stream.

11. (Original) A method as defined in claim 1, wherein displaying the screen data on the display device further comprises:

- displaying the video stream using an entire screen of the display device; and
- displaying the user interface using the entire screen of the display device.

Application No. 10/067,
Amendment "B" dated June 28, 2005
Reply to Office Action mailed May 25, 2005

12. (Previously Presented) In a system that includes a set-top box that is capable of displaying video content that is received from a video source or retrieved from a storage of the set top box, a method for displaying a user interface with the video content without having to resize the video content, the method comprising:

generating screen data by mixing a user interface with the video content according to a level of transparency that is associated with the user interface and a level of transparency that is associated with the video content;

displaying the screen data in a window of a display device, wherein a view of the video content is dependent on the level of transparency of the user interface and on the level of transparency of the video content; and

adjusting the level of transparency of the user interface and the level of transparency of the video content according to input received from a user, the input comprising selection of one or more volume control buttons on a remote control device of the set-top box that have been programmed to adjust transparency, wherein the view of the video content changes as the level of transparency of the user interface and the level of transparency of the video content are adjusted.

13. (Original) A method as defined in claim 12, wherein the user interface includes one or more items, the method further comprising:

selecting an item that is included in the user interface; and

adjusting a level of transparency for the selected item without adjusting the level of transparency of the user interface.

14. (Original) A method as defined in claim 13, wherein adjusting a level of transparency for the selected item further comprises adjusting the level of transparency for the item such that the item is either more transparent or less transparent.

Application No. 10/067,
Amendment "13" dated June 28, 2005
Reply to Office Action mailed May 25, 2005

15. (Original) A method as defined in claim 13, wherein the selected item is an interactive item that is associated with the video.

16. (Original) A method as defined in claim 12, wherein adjusting the level of transparency further comprises adjusting the level of transparency of the user interface such that the user interface is either more transparent or less transparent.

Application No. 10/067,
Amendment "IV" dated June 28, 2005
Reply to Office Action mailed May 25, 2005

17. (Currently Amended) In a system including a set top box capable of displaying video content on a display device, a method for displaying a user interface that has one or more selectable items and the video content in a single window, the method comprising:

displaying the user interface and the video content in the window, wherein the user interface includes a plurality of different selectable items, and wherein the video content is viewable according to a global level of transparency of is associated with the user interface, and such that adjusting the global level of transparency simultaneously adjusts transparency of each of the different selectable items of the user interface;

selecting an one of the plurality of different itemsitem included in the user interface, wherein the selected item has a level of transparency that is independent of the global level of transparency; and

adjusting the level of transparency of the selected item according to input received from a user, the input comprising selection of one or more buttons on a remote control device of the set-top box, wherein the level of transparency of the selected item is adjusted independently of the global level of transparency, such that when the level of transparency of the selected item is adjusted, wherein the global level of transparency remains unchanged does not change.

18. (Original) A method as defined in claim 17, wherein selecting an item included in the user interface further comprises:

selecting multiple items in the user interface; and

simultaneously adjusting the levels of transparency for each of the selected items without affecting the global level of transparency.

19. (Original) A method as defined in claim 17, further comprising adjusting the global level of transparency of the user interface according to input received from a user.

Application No. 10/067,
Amendment "B" dated June 28, 2005
Reply to Office Action mailed May 25, 2005

20. (Original) A method as defined in claim 19, wherein displaying the user interface and the video content in the window further comprises generating screen data by mixing the user interface with the video content.

21. (Original) A method as defined in claim 17, wherein the window occupies all of an available display area of the display device.

22. (Original) A computer program product having a computer readable medium containing computer executable instructions for performing the method of claim 17.

Application No. 10/067,
Amendment "B" dated June 28, 2005
Reply to Office Action mailed May 25, 2005

23. (Previously Presented) A computer program product for use in a system that includes a set-top box that is capable of displaying a video stream that is received from a video source or retrieved from a storage of a set top box with a user interface, the computer program product comprising one or more computer-readable media having computer-executable instructions for implementing a method for simultaneously displaying and controlling the transparency of the user interface with the video stream, the method comprising:

generating screen data by mixing a user interface and a video stream;

displaying the screen data in a display window on the display device, wherein a view of the video in the display window is dependent on a level of transparency of the user interface;

wherein the system includes both:

means for adjusting the level of transparency of the user interface and a level of transparency of the video simultaneously, such that adjusting the level of transparency of the user interface necessarily adjusts the level of the video, and

means for adjusting the level of transparency of the user interface independently of the level of transparency of the video and such that adjusting the level of transparency does not affect the level of transparency of the video;

receiving input from a user, wherein the input controls the level of transparency of the user interface, ~~the input comprising selection of one or more buttons on a remote control device of the set-top box; and~~

adjusting the level of transparency of the user interface on the display device according to the input received from the user, wherein adjusting the level of transparency of the user interface includes selectively adjusting the level of transparency of the user interface independently or simultaneously with the level of transparency of the video.

Application No. 10/067.
Amendment "13" dated June 28, 2005
Reply to Office Action mailed May 25, 2005

24. (Original) A computer program product as defined in claim 23, wherein generating screen data by mixing a user interface and a video stream further comprises mixing the user interface with the video stream according to a current level of transparency.

25. (Original) A computer program product as defined in claim 23, wherein receiving input from a user further comprises receiving input from an input device controlled by the user.

26. (Original) A computer program product as defined in claim 25, wherein adjusting the level of transparency of the user interface further comprises adjusting a level of transparency of the video stream, wherein the level of transparency of the video stream increases if the level of transparency of the user interface decreases and wherein the level of transparency of the video stream decreases if the level of transparency of the user interface increases.

27. (Original) A computer program product as defined in claim 25, wherein adjusting the level of transparency of the user interface further comprises making the user interface either more or less transparent.

28. (Original) A computer program product as defined in claim 23, wherein the user interface comprises one or more items that each have a level of transparency, the method further comprising adjusting a level of transparency for a selected item without adjusting levels of transparency for non-selected items.

29. (Original) A computer program product as defined in claim 23, wherein adjusting the level of transparency of the user interface further comprises displaying a transparency control on the display device, wherein the transparency control is used to select a level of transparency that is applied to the user interface.

Application No. 10/067,
Amendment "13" dated June 28, 2005
Reply to Office Action mailed May 25, 2005

30. (Original) A computer program product as defined in claim 23, wherein generating screen data further comprises retrieving content from a network, wherein the content is included in the user interface.

31. (Original) A computer program product as defined in claim 23, wherein generating screen data further comprises at least one of:

- receiving the video stream from a cable system;
- receiving the video stream from a satellite system;
- receiving the video stream from a network; and
- retrieving the video stream from a storage of the set top box.

32. (Original) A computer program product as defined in claim 23, wherein the user interface includes interactive elements related to the video stream.

33. (Original) A computer program product as defined in claim 23, wherein displaying the screen data on the display device further comprises:

- displaying the video stream using an entire screen of the display device; and
- displaying the user interface using the entire screen of the display device.

Application No. 10/067,
Amendment "B" dated June 28, 2005
Reply to Office Action mailed May 25, 2005

34. (Previously Presented) In a system that includes a set-top box that is capable of displaying video content that is received from a video source or retrieved from a storage of the set top box, a computer program product for implementing a method for displaying a user interface with the video content without having to resize the video content, the method comprising:

a computer readable medium having computer executable instructions for performing the method, the method comprising:

generating screen data by mixing a user interface with the video content according to a level of transparency that is associated with the user interface and a level of transparency that is associated with the video content;

displaying the screen data in a window of a display device, wherein a view of the video content is dependent on the level of transparency of the user interface and on the level of transparency of the video content; and

adjusting the level of transparency of the user interface and the level of transparency of the video content according to input received from a user, the input comprising selection of one or more volume control buttons on a remote control device of the set-top box that have been programmed to adjust transparency, wherein the view of the video content changes as the level of transparency of the user interface and the level of transparency of the video content are adjusted.

35. (Original) A computer program product as defined in claim 34, wherein the user interface includes one or more items, the method further comprising:

selecting an item that is included in the user interface; and

adjusting a level of transparency for the selected item without adjusting the level of transparency of the user interface.

Application No. 10/067,
Amendment "B" dated June 28, 2005
Reply to Office Action mailed May 25, 2005

36. (Original) A computer program product as defined in claim 35, wherein adjusting a level of transparency for the selected item further comprises adjusting the level of transparency for the item such that the item is either more transparent or less transparent.

37. (Original) A computer program product as defined in claim 35, wherein the selected item is an interactive item that is associated with the video.

38. (Original) A computer program product as defined in claim 34, wherein adjusting the level of transparency further comprises adjusting the level of transparency of the user interface such that the user interface is either more transparent or less transparent.

39. (Cancelled).

40. (Currently Amended) A method as recited in claim 1, wherein the input comprises input from one or more buttons ~~comprise volume control buttons on the remote control~~ and wherein the method further includes programming the remote control such that selection of the one or more volume control buttons indicates to the set-top box that the transparency should be changed.

41. (Previously Presented) A method as recited in claim 40, wherein programming the remote control includes programming the remote control such that selection of the one or more volume control buttons in combination with selection of at least one other remote control button indicates to the set-top box that the transparency should be changed.

42. (Previously Presented) A method as recited in claim 40, wherein the one or more buttons include a mute button.